

KEMA Puconci d.o.o.,

Puconci 109, 9201 Puconci, Slovenija T.: +386 (0)2 545 95 00 | F: +386 (0)2 545 95 10 I: www.kema-on.net | E: info@kema.si

CERTIFICATE OF QUALITY

1. PRODUCT NAME

KEMACRYL Polymer dispersion

2. GENERAL DESCRIPTION

Bonding bridge old-new, improvement of cement mortars and impregnation (primer) for high absorbent mineral surfaces.

3. COMPOSITION

Water based polymer dispersion.

4. PHYSICAL AND CHEMICAL PROPERTIES

4.1 APPEARANCE: white viscous liquid

4.2 ODOUR: typical

4.3 DENSITY (at T=20°C): 1,020 - 1,025 kg/dm3

4.4 pH (at T=20°C): 8-10

4.5 DRY MATTER CONTENT: 22%

4.6 GLAS TRANSITION TEMPERATURE: +7 ° C

4.7 BROOKFIELD VISCOSITY: <100 CPS

5. SAFETY DATA SHEET

KEMACRYL is not a hazardous substance within the meaning of the chemicals act. In case of contact with eyes, wash with plenty of water. If irritation persists, consult a doctor.

For further information about storage, handling and use of mixture can be found in the safety data sheet, which contains safety, toxicological and ecological data, we must also be alert to the warning on the original packaging.

6. TEST REPORTS

Declared properties of a product KEMACRYL proves report no. PTP 63/08, issued by the testing laboratory KEMA Puconci d.o.o. of 9.15.2008.

7. The document was issued with the intention to prove the quality of the product according to specific requirements.

Puconci, 20.09.2014

Žig

Chief of department of development and quality:

Stanko Polajner, univ.dipl.inž.met.

KEMA Puconci d.d.o.